

Respondents: 139

Indolent Treatment Survey: Follicular

Avg # of Tx:	Yr Dx	Num of Treatments
1.9	Max: 8/8/1994 Min: 6/18/2017	No treatments: 13 1 treatment: 62
	Yrs since Dx	2 treatments: 18
	Max: 21 Min: 0	3 treatments: 13 4 or more: 33

9%
45%
13%
9%
24%

3: Oncologist encouraged shared decision making

Stage when first treated
I don't know: 8
Stage 1 or 2: 24
Stage 3 or 4: 106

6%
17%
77%

Your role in Treatment Decisions
NA: no treatment: 1
5 Most: 22
4 Significant: 29
3 middle: 48
2 minimal: 11
Least: 28

1%
16%
21%
35%
8%
20%

Treatment Center	Received RIT		
Major	109	13	12%
Community	22	0	0%
Other	2	0	0%

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but described in DETAIL	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	1	Follicular	5/23	Stage 3 or 4	0	Not applicable - I have not received treatment	q	Rituxan only (4 doses) - followed by RM for 1-2 years.	a	a	5	3
NO	CC-a	1	Follicular	6/18	Stage 3 or 4	1	Rituxan only (4 doses)	Taking vitamin D3	Rituxan only (4 doses) - followed by RM for 1-2 yrs... Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan without RM, High dose chemotherapy with SCT	None	None	5	1
NO	MC	2	Follicular	9/27/16	Stage 3 or 4	3	Chemotherapy* given WITH Rituxan without maintenance	None	No Tx	None	None	3	0
NO	MC	2	Follicular	4/19	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	due to age and existing CHF it was suggested I could only tolerate gentler types of treatment without worsening my cardiomyopathy		none	due to age and existing CHF (cardiomyopathy) it was suggested to me that I'm not a good candidate for any harsh Chemo or stem cell transplant in the future.	1	0
NO	MC	2	Follicular	8/25	Stage 1/2	4	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	none	Radiation -- to local area only	none	radiation	1	0
NO	CC-a	2	Follicular	6/16	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	Ibrutinab	Rituxan+Bendamustin e	1	0
NO	MC	2	Follicular	10/13	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without RM	None	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without RM	none	none	1	0
NO	MC	2	Follicular	4/19/2016	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	due to age and existing CHF it was suggested I could only tolerate gentler types of treatment without worsening my cardiomyopathy		none	due to age and existing CHF (cardiomyopathy) it was suggested to me that I'm not a good candidate for any harsh Chemo or SCT in future.	1	0
NO	MC	2	Follicular	8/25/2016	Stage 1/2	4	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	none	Radiation to local area only	none	radiation	1	0
NO	MC	2	Follicular	10/13/2016	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan without RM	None	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan without RM	none	none	1	0

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	2	Follicular	3/30	Stage 1/2	0	Not applicable - I have not received treatment	No treatment so far... watchful waiting	Not applicable - I have not received treatment	Rituxan	Radiation	4	0
NO	MC	2	Follicular	11/29	Stage 3 or 4	0	Not applicable - I have not received treatment	none - must decide within the month what treatment to accept	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years	I was offered only one treatment option Rituximab & Bendamustine + maintenance for two years with Rituximab	None	3	0
NO	CC-a	2	Follicular	10/11/2016	I do not know	0	Not applicable - I have not received treatment	-	Rituxan only (4 doses)	=	=	4	1
NO	CC-a	2	Follicular	10/11	I do not know	0	Not applicable - I have not received treatment	-	Rituxan only (4 doses)	=	=	4	1
NO	CC	2	Follicular	11/29/16	Stage 3 or 4	1	OTHER - not listed above	6 x CVP, 2x CHOP, 8 Week of Rituxan		Idiotypic immunization, They (Large Scale Biology and Stanford) failed to make vaccine	MOPP; I declined this treatment from my local oncologist.	4	0
NO	MC	2	Follicular	3/24	Stage 3 or 4	1	Rituxan only (4 doses)	None	Chemotherapy* with NO Rituxan (* Any kind: CHOP / Bendamustine, CVP, FND, single agent)	None	R-CHOP	3	3
NO	MC	2	Follicular	7/2/2016	Stage 1/2	1	Rituxan only (4 doses)	none so far	Rituxan only (4 doses) followed by RM for 1-2 yrs..	none	none	4	0
NO	MC	2	Follicular	7/2	Stage 1/2	1	Rituxan only (4 doses)	none so far	Rituxan only (4 doses) - followed by RM for 1-2 yrs..	none	none	4	0
NO	MC	3	Follicular	8/3/15	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan - No maintenance	Was not given any other choice but R&B	OTHER - not listed above	None	None	1	0
NO	MC	3	Follicular	8/1	Stage 1/2	1	Chemotherapy* given WITH Rituxan -- without RM	NONE	Chemotherapy* given WITH Rituxan -- without RM	NONE	NONE	3	0
NO	MC	3	Follicular	6/26	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None		None	None	1	0
NO	MC	3	Follicular	9/4	Stage 1/2	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	R-chop or watch and wait	None	3	0
NO	MC	3	Follicular	5/20	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, OTHER - not listed above	Obinutuzumab and Lenalidamide following partial response to R-CHOP	Chemotherapy* given WITH Rituxan -- without RM, High dose chemotherapy with SCT, OTHER - not listed above	Idealalisib following partial response to R-CHOP	None	3	0
NO	MC	3	Follicular	9/1	Stage 3 or 4	0	Not applicable - I have not received treatment	None	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years	None	None	3	3
NO	MC	3	Follicular	10/13	Stage 3 or 4	0	Not applicable - I have not received treatment	None	Rituxan only (4 doses)	None	None	3	0
NO	MC	3	Follicular	3/15	Stage 3 or 4	1	OTHER - not listed above	GA101 (Obinutuzumab) NCT01889797	Chemotherapy* given WITH Rituxan -- without RM	If I did not enter the above clinical trial, then "Watch & Wait" was discussed.	Rituxan as a part of Chemotherapy	4	0
NO	MC	3	Follicular	11/11/2015	Stage 1/2	1	Rituxan only (4 doses)	n/a	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs..	n/a	n/a	3	0
NO	MC	3	Follicular	11/11	Stage 1/2	1	Rituxan only (4 doses)	n/a	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs.	n/a	n/a	3	0
NO	MC	3	Follicular	7/9	Stage 3 or 4	1	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without RM	None	None	5	0

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	4	Follicular	8/30	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years	NON		CHOP	NON	1	4
NO	MC	4	Follicular	3/17	Stage 3 or 4	4	Chemotherapy* given WITH Rituxan -- without RM, High dose chemotherapy with stem cell rescue (transplant) auto or allo type	Immunotherapy		CarT	Radioimmunotherapy	3	1
Y	MC	4	Follicular	1/15	Stage 3 or 4	1	Chemotherapy* followed by Radioimmunotherapy	None	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none	nonr	4	1
NO	MC	4	Follicular	1/3	I do not know	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	N/A		N/A	R-squared	3	0
NO	MC	4	Follicular	1/13	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Chemotherapy* given WITH Rituxan -- without RM	None	None	4	0
NO	nhs	4	Follicular	10/31	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Not applicable - I have not received treatment	None	None	1	5
NO	CC-a	4	Follicular	11/9	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	OTHER - not listed above	no other choice offered. we were told what type of treatment we were receiving.	We did not discuss any other treatments. We were told that we would receive B-R with RM. Halfway through maintenance we developed late onset neutropenia and were forced to quit using rituxan.	2	0
NO	CC-a	4	Follicular	11/24	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Chemotherapy* given WITH Rituxan -- without RM	None	Stem Cell Transplant	1	2
Discussed	MC	4	Follicular	9/18	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without RM	None	Radioimmunotherapy	None	Bexxar	2	3
NO	MC	4	Follicular	1/3/2014	I do not know	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	N/A		N/A	R-squared	3	0
NO	MC	4	Follicular	1/13/2014	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan without RM	None	None	4	0
NO	CC	4	Follicular	11/9/2014	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None	OTHER - not listed above	no other choice offered. we were told what type of treatment we were receiving.	We did not discuss any other treatments. We were told that we	2	0
NO	CC-a	4	Follicular	11/24/2014	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan without RM	None	Stem Cell Transplant	1	2

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	CC-a	4	Follicular	5/30/2014	Stage 3 or 4	4	Chemotherapy* given WITH Rituxan without RM	None	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs	None	None	3	0
NO	MC	4	Follicular	2/14/14	Stage 3 or 4	0	OTHER - not listed above	Not really "treatment" but rather an attempt to change epigenetics that gave rise to the lymphoma, by following lymphomasurvival.com gathering of worldwide research	No Tx, Rituxan only (4 doses), Chemotherapy* given WITH RituxanRituxan M 1-2 yrs, OTHER - not listed above	Per my request, have discussed chlorambucil as initial therapy, if indicated, if treatment needed in future. I have bloodwork and CT every six months. Asymptomatic still after almost three years.	Rituxin with or without chemo.	5	1
Y	MC	4	Follicular	3/12	Stage 3 or 4	1	OTHER - not listed above	Bendamustine and Obinituzumab	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without RM, Radioimmunotherapy	None	None	4	0
NO	MC	4	Follicular	6/20/2014	Stage 3 or 4	1	Rituxan only (4 doses)	None		Other options were discussed but as options further down the road (BR for instance).	None.	5	2
NO	MC	4	Follicular	6/20	Stage 3 or 4	1	Rituxan only (4 doses)	None		Other options were discussed but as options further down the road (BR for instance).	None.	5	2
NO	MC	4	Follicular	11/15	Stage 3 or 4	1	Rituxan only (4 doses)	watch and wait	Rituxan only (4 doses) - followed by RM for 1-2 years., Radiation -- to local area only	radiation ibrutinib denied by BCBS	chemo	4	0
NO	MC	4	Follicular	6/18	Stage 1/2	4	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	None	3	1
NO	MC	4	Follicular	6/18/2014	Stage 1/2	4	Rituxan only (4 doses) followed by RM for 1-2 yrs..	None	Rituxan only (4 doses) followed by RM for 1-2 yrs.	None	None	3	1
Discussed	CC-a	4	Follicular	7/24	Stage 3 or 4	3	Rituxan only (4 doses), OTHER - not listed above	Clinical trial and Magnify trial	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan without RM, Radioimmunotherapy only, OTHER - not listed above	Bendamustine/gyzava	Other clinical trials	3	4
NO	MC	5	Follicular	12/26	Stage 3 or 4	4	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years	None	Not applicable - I have not received treatment	None	None	4	0
NO	MC	5	Follicular	3/23	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	BR	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	R-CHOP	1	1
NO	MC	5	Follicular	5/15	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	Watch and wait for. Relapse	Radiation -- to local area only, High dose chemotherapy with SCT	Watch and wait	Radiation	1	3
NO	MC	5	Follicular	12/15	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Chemotherapy* given WITH Rituxan -- without RM	None	None	1	0
NO	MC	5	Follicular	12/13	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without RM	None	Not applicable - I have not received treatment	None	None	4	0
Y	MC	5	Follicular	10/21	Stage 1/2	4	Chemotherapy* given WITH Rituxan -- without RM, Chemotherapy* followed by Radioimmunotherapy, High dose chemotherapy with SCT	Nivolumab with lurilumab. Revlimid and rituxan Ibrutinib	Rituxan only (4 doses), Radiation -- to local area only	Auto transplant.	Radiation	5	3

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	5	Follicular	12/15/2013	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan without RM	None	None	1	0
NO	not specified	5	Follicular	12/5	Stage 3 or 4	0	Not applicable - I have not received treatment	N/A		N/A	N/A	3	4
NO	MC	5	Follicular	9/27	Stage 1/2	1	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	W & W	1	0
NO	MC	6	Follicular	9/30/12	Stage 3 or 4	4	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none	Chemotherapy* given WITH Rituxan Rituxan M 1-2 yrs	none	none	3	0
NO	CC-a	6	Follicular	1/12	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	watch and wait	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	wait and watch	watch and wait	3	1
NO	MC	6	Follicular	12/1/2012	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan no maintenance	none	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs	none	none	1	0
NO	CC	6	Follicular	3/15/12	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	None		None	None	3	1
NO	MC	6	Follicular	9/9	Stage 3 or 4	1	High dose chemotherapy with SCT	Radiation		RCHOP until they realized it transformed. Then methotrexate and RCHOP	Nothing	1	0
NO	MC	6	Follicular	7/12	Stage 3 or 4	0	Not applicable - I have not received treatment	No other treatment--watch and wait	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan -- without RM	We have not discussed treatment options in detail because I am still not experiencing B symptoms.	We have not discussed treatment options (either by name or in detail) because I am still not experiencing B symptoms and we need further information before treatment is	4	0
NO	MC	6	Follicular	12/31	Stage 3 or 4	1	OTHER - not listed above	Arzerra (ofatumumab)	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* with NO Rituxan (* Any kind: CHOP / Bendamustine, CVP, FND, single agent), Chemotherapy* given WITH Rituxan -- without RM	Rituxan	BR	1	2
NO	MC	6	Follicular	10/5	Stage 3 or 4	4	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	Ongoing maintenance every other month, currently in year 3		none	bendamustine/rituxan, inbrutaib	5	0
NO	MC	6	Follicular	10/5/2012	Stage 3 or 4	4	Rituxan only (4 doses) followed by RM for 1-2 yrs.	Ongoing maintenance every other month, currently in year 3		none	bendamustine/rituxan, ibrutinib	5	0
NO	MC	6	Follicular	2/22/2012	Stage 1/2	2	Rituxan only (4 doses), Radiation to local area only	none	Rituxan only (4 doses) followed by RM for 1-2 yrs, Chemotherapy* with NO Rituxan Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan without RM, Radioimmunotherapy only, High dose chemotherapy with SCT	none	none	4	4

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
Discussed	MC	7	Follicular	11/1/11	Stage 3 or 4	4	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, OTHER - not listed above	Ibrutinib, bendamustine/rituximab, Idelalisib/rituximab, CAR-T	Radioimmunotherapy only, High dose chemotherapy with SCT (auto or allo type), OTHER - not listed above	Everything was listed above but the survey required me to enter something here.	Everything was listed above but the survey required me to enter something here.	5	0
NO	MC	7	Follicular	6/11	Stage 3 or 4	0	Not applicable - I have not received treatment	None	Not applicable - I have not received treatment	None	None	1	0
NO	MC	7	Follicular	7/7/2011	Stage 3 or 4	4		Four rounds Rituxan and Bendamustine		R/B was discussed as that was the course appropriate for my condition.	Imbrutinib if cancer returned.	4	0
NO	CC	7	Follicular	9/22	Stage 3 or 4	4		Rituxin and Bendamustine 5 treatments over 5 months RM 1 year each quarter	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without RM	no treatment watchful waiting	none	5	2
NO	MC	8	Follicular	3/10	Stage 3 or 4	1	Chemotherapy* followed by Radioimmunotherapy, OTHER - not listed above	4 years RM after RCHOP and Bexxar	Chemotherapy* with NO Rituxan, Chemotherapy* given WITH Rituxan -- without RM	None	None	3	1
Discussed	MC	8	Follicular	3/1/10	Stage 1/2	1	Chemotherapy* given WITH Rituxan - No maintenance	none	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only, OTHER - not listed above	I asked about R maintenance and my onc was against it until there was more evidence for or against	none	4	2
NO	MC	8	Follicular	8/26/2010	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None		CHOP	none	3	0
NO	CC	8	Follicular	1/25	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs,	None	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	Bendamustine	Zevalin	3	3
NO	MC	8	Follicular	1/10	Stage 1/2	2	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Radiation to local area only	4 Rituxan CHOP treatments, 2 years Rituxan (4 every 6 months) 24 localized radiation treatments	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* with NO Rituxan Chemotherapy* given WITH Rituxan followed by Rituxan M 1-2 yrs. Chemotherapy* given WITH Rituxan without RM, Radiation to local area only	none	none	3	0
NO	CC-a	8	Follicular	4/20	Stage 3 or 4	2	OTHER - not listed above	Rituxan. Two years after diagnosis and again four years later after relapse.		Chemotherapy	Chemotherapy	3	2
Y	MC	8	Follicular	4/15/2010	Stage 3 or 4	1	OTHER - not listed above	R-CHOP+Bexxar+Rtx maintenance 4 years	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs	Rchop	Ww	4	0
NO	local hospital	8	Follicular	1/21	Stage 1/2	1	Radiation -- to local area only	Alternative Medicine - Life style, diet, supplements	Radiation -- to local area only	None	None	2	0
NO	MC	8	Follicular	7/30/10	Stage 3 or 4	3	Rituxan only	I don't think I've had any other treatments. Well, prayer and presents. :-D	OTHER - not listed above	There was a radio-tagged therapy that we discussed in 2014, but I don't know whether it was chemo followed by radio, or something that included both at once. I ended up getting into a trial of Ofatumumab instead.	I don't think we ever talked about things that weren't an option. That would seem off topic.	2	0

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	CC	8	Follicular	5/12/10	Stage 1/2	4	Rituxan only (4 doses)	none	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs..	Rituxan + Treanda	Rituxan + Maintenance	1	0
NO	MC	9	Follicular	12/22	Stage 3 or 4	0	No Tx	none. On watch and wait.	No Tx	none suggested	none	3	0
NO	MC	9	Follicular	2/15	Stage 3 or 4	2	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan -- without RM	n/a	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	n/a	n/a	2	0
Discussed	MC	9	Follicular	2/1/2009	Stage 3 or 4	2	Rituxan only (4 doses), Rituxan only (4 doses) followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan without RM, Chemotherapy* followed by Radioimmunotherapy	None	SCT	4	0
NO	MC	10	Follicular	9/8	Stage 1 or 2 , Stage 3 or 4	4	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years, Chemotherapy* given WITH Rituxan --	I started RM but had to stop due to reactions...did not complete maintenance phase.	High dose chemotherapy with stem cell rescue (transplant) auto or allo type	None	Gezyva, Revlimid, Zydelig	3	1
Mentioned	CC-a	10	Follicular	4/15	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs,	None	Chemotherapy* with NO Rituxan , High dose chemotherapy with SCT (auto or allo type)	R-CHOP	Radioimmunotherapy	2	3
Y	MC	10	Follicular	1/8	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan without RM, Radioimmunotherapy only			None	None	3	3
NO	CC	10	Follicular	1/15/08	Stage 3 or 4	1	OTHER - not listed above	Rituxan (6 doses)	Chemotherapy* given WITH Rituxan - No maintenance	None	Ibrutinib, Bendamustine, Zevalin	4	2
Discussed	MC	11	Follicular	3/20	Stage 1/2	3	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan -- without RM,	Vaccine Clinical Trial (Dendritic Cell)	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan -- followed	Idealisib and clinical trials for inhibitors	None	5	0
NO	CC-a	12	Follicular	4/18	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan -- without RM	Radiation to large area affected, following Chemo with Rituxan	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years	Began RM but had a complication to it so did not receive further.	Not sure about this question	3	1
NO	MC	12	Follicular	1/23	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None		Watch and wait was recommended but I chose active treatment	None	3	1
Discussed	MC	12	Follicular	5/1/06	Stage 3 or 4	2	Rituxan only (4 doses), OTHER - not listed above	revlimid and rituxan (phase 1 clinical study that originally included idelalisib which I did not tolerate) followed by maintenance rituxan (not part of the study)	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only	we discussed a number of treatments but mostly because I brought them up - I am a doctor and very involved in decision making	don't think there were any - see above answer	5	0
NO	CC	13	Follicular	11/28	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without RM	RCHOP	High dose chemotherapy with SCT	It was a clear choice to do RCHOP	SCT after initial chemo	2	2

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC and CC	13	Follicular	12/8/2005	I do not know	4	Chemotherapy* given WITH Rituxan followed by RM for 1-2 years	B-R with RM for 2 years; R squared, RICE,	OTHER - not listed above	Ibrutinib	Car t	2	0
NO	CC-a	13	Follicular	5/15	Stage 3 or 4	4	Rituxan only (4 doses)	n/a	Not applicable - I have not received treatment	n/a	n/a	1	0
NO	MC	13	Follicular	10/15	Stage 3 or 4	3	Rituxan only (4 doses) - followed by RM for 1-2 years., Chemotherapy* given WITH Rituxan -- followed by RM for 1-2	none		bendamustine,	Revlimid	2	2
NO	MC	14	Follicular	2/5	Stage 3 or 4	0	Not applicable - I have not received treatment	AB	Not applicable - I have not received treatment	A	A	4	3
NO	MC	14	Follicular	7/31/04	Stage 3 or 4	3	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan - No maintenance, OTHER - not listed above	Vaccine clinical trials (2)	Chemotherapy* with NO Rituxan , Chemotherapy* given WITH Rituxan M 1-2 yrs	None	None	1	5
Y	MC	14	Follicular	1/1/04	Stage 3 or 4	4	Rituxan only , Radioimmunotherapy only, OTHER - not listed above	Genitope Vaccine (control arm- positive vaccine with Rituxan)		Genitope Vaccine	CHOP	5	1
Discussed	CC	15	Follicular	8/5/2003	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	CHOP with rituxan 6 rounds	Chemotherapy* given WITH Rituxan followed by RM 1-2 yrs, Chemotherapy* followed by Radioimmunotherapy, Radioimmunotherapy only, High dose chemotherapy with SCT	None	Stem cell autologous	3	0
Discussed	MC	15	Follicular	11/17/03	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none	Chemotherapy* with NO Rituxan, Chemotherapy* followed by Radioimmunotherapy	none	none	5	0
NO	MC	15	Follicular	5/15/03	Stage 3 or 4	4	Chemotherapy* with NO Rituxan, OTHER - not listed above	don't know if Revlimid is considered chemotherapy,but took for 5+ years from 2006-2011 and took again with Rituxan in		none since Revlimid was so effective first time	Zevalin	2	0
NO	MC	15	Follicular	6/20/03	Stage 3 or 4	1	OTHER - not listed above	Rituxin plus vaccine	Chemotherapy* given WITH Rituxan - No maintenance	CHOP plus Rituxin	None	5	1
Discussed	CC	15	Follicular	2/27/03	Stage 3 or 4	3	Rituxan only (4 doses) - followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan - No maintenance	IBRUTINIB TRIAL (FOR LAST 2 YEARS)	Radioimmunotherapy only	Conferred with oncologist at major cancer center about bexxar (several years ago);referred by my local oncologist.	None that I can remember.	3	0
NO	MC	15	Follicular	6/15	Stage 3 or 4	2	Rituxan only (4 doses), Chemotherapy* with NO Rituxan	None	Rituxan only (4 doses) - followed by RM for 1-2 yrs..	6 round or 8 round retuxan	None	3	1
Discussed	MC	15	Follicular	7/10/2003	Stage 3 or 4	4	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 2 yrs, Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, Radiation to local area only, OTHER - not listed above	Rituxan plus Revlimid	Chemotherapy* given WITH Rituxan followed by RM 1-2 yrs, Chemotherapy* followed by Radioimmunotherapy, Radioimmunotherapy only, High dose chemotherapy with SCT	none	none	3	0

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
Discussed	MC and CC	15	Follicular	12/1/2003	Stage 1/2	4	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan with no maintenance, Radiation to local area only, High dose chemot with SCT, OTHER - not listed above	Clinical trials, Revlimid+Rituxan	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, Radioimmunotherapy only, OTHER - not listed above	Clinical trials, ibrutinib, RIT	-	5	1
NO	MC	16	Follicular	1/20	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan without RM, OTHER - not listed above	FND plus rituxan	Chemotherapy* given WITH Rituxan without RM	None	None	3	3
Discussed	MC	16	Follicular	12/22/02	Stage 3 or 4	4	Rituxan only, Chemotherapy* given WITH Rituxan - No maintenance, OTHER - not listed above	Vaccine therapy trial in conjunction with CVP, no rituxan, failed and unblinded and received real vaccine	Radioimmunotherapy only, High dose chemotherapy with SCT (auto or allo type)	N/a	N/a	3	0
NO	MC	17	Follicular	11/11/2001	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan without RM	With R-CHOP took one year interferon a-2b	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan without RM	None	None	4	0
Y	MC	17	Follicular	2/6/01	Stage 3 or 4	4	Chemotherapy* with NO Rituxan , Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Radioimmunotherapy only, Radiation to local area only	None	Chemotherapy* with NO Rituxan, Chemotherapy* given WITH Rituxan with Rituxan M 1-2 yrs, Radioimmunotherapy only, Radiation to local area only	Stem cell transplant	Fluoradabine	4	3
NO	MC	17	Follicular	5/10/01	Stage 3 or 4	3	Rituxan only, High dose chemotherapy with SCT (auto or allo type)	none		none	none	5	5
NO	CC	18	Follicular	3/22	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without RM	additional comment to above survey-treatment 2002 partial remission. non since 2002. Stable	Chemotherapy* given WITH Rituxan -- without RM	clinical trial back in 2000 at Mayo but did not participate	none	3	0
NO	CC-a	18	Follicular	12/1/00	Stage 3 or 4	3	Chemotherapy* with NO Rituxan , Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, OTHER - not listed above	2 rounds of chlorambucil, RM 4.5 years (following RCHOP); stems cells stockpiled in case of future transformation	High dose chemotherapy with SCT, OTHER - not listed above	dendritic cell vaccine; FND + Rituxan + interferon; Genitope and Favril vaccine trials	idiotype vaccine (NCI protocol with Promace etc and Biomira? pilot)	5	3
NO	MC	18	Follicular	5/30/00	Stage 3 or 4	4	Rituxan only (4 doses), Radiation to local area only, OTHER - not listed above	Vaccine + Rituxan; Zevalin + MGd	OTHER - not listed above	Zevalin + MGd; Vaccine + Rituxan	None	3	0
Y	MC	18	Follicular	3/10/00	Stage 3 or 4	2	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only	none	Chemotherapy* with NO Rituxan	BR	Interferon	3	0
Y	MC	19	Follicular	12/9/99	Stage 3 or 4	3	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Chemotherapy* followed by Radioimmunotherapy	Vaccine clinical trial	Radiation to local area only, High dose chemotherapy with SCT	None	None	4	4
Discussed	MC	19	Follicular	4/1/99	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan - No maintenance	none	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan then	FND	newer drugs in clinical trials - can't remember names -	4	2
NO	MC	19	Follicular	9/15/99	Stage 3 or 4	2	OTHER - not listed above	MyVax, Revlimid	Chemotherapy* given WITH Rituxan - No maintenance	Revlimid + Rituxan	FCR	3	1
Discussed	MC	19	Follicular	7/12/99	Stage 1/2	3	Rituxan only (4 doses), Radiation to local area only	PACE	Chemotherapy* with NO Rituxan, Chemotherapy* followed by Radioimmunotherapy,	stem cell transplant from close relative.	none	3	1
Discussed	MC	19	Follicular	12/13	Stage 3 or 4	4	Rituxan only (4 doses), Chemotherapy* with NO Rituxan (* Any kind: CHOP / Bendamustine, CVP, FND, single agent), Chemotherapy* given WITH Rituxan -- without RM	None	Radioimmunotherapy (Zevalin or Bexxar) only, Radiation -- to local area only, High dose chemotherapy with stem cell rescue (transplant) auto or allo type	None	None	4	0

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
Discussed	MC	20	Follicular	8/1	Stage 3 or 4	3	Chemotherapy* given WITH Rituxan -- without RM, OTHER - not listed above	Vaccination (trial), Immunotherapy (Idelalisib)	Rituxan only (4 doses) - followed by RM for 1-2 years., High dose chemotherapy with stem cell rescue (transplant) auto or allo type	Nothing	Radioimmunotherapy	4	0
Y	MC	21	Follicular	6/10/97	I do not know	4	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only	none	none	none	none	3	1
Y	MC	21	Follicular	7/12/97	I do not know	4	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only, OTHER - not listed above	Interleukin 2	Clinical trial with Interleukin 2	Clinical trial with Interleukin 2	Oncologist did not offer RIT (Zevalin). I went for a second opinion to Michigan and that doctor said I would be a good candidate. My oncologist agreed to do it locally.	3	0
NO	MC	21	Follicular	4/16/97	Stage 1/2	4	Chemotherapy* with NO Rituxan, Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Radiation to local area only	None	High dose chemotherapy with SCT	None	None	3	0
Y	MC	22	Follicular	11/1	Stage 3 or 4	4	CHOP Rituxan only (8 doses)	Rituxan with CpG then Id vaccine Oral low dose chemo (PEPC) with Rituxan Oral low dose chemo 2x Oral low dose chemo, then high dose cytoxan, then radioimmunotherapy	Stem cell transplant (allo)			1	0
Discussed	CC	22	Follicular	9/23/96	Stage 3 or 4	4	Rituxan only (4 doses), Radiation to local area only	Clinical trial with Enzaustarin, IPI-145 with rituxan, polutuzmab vedotin with gayzava .	Rituxan only , Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs,	Clinical trials	Car t	5	0
NO	MC	24	Follicular	8/8/94	Stage 3 or 4	2	Chemotherapy* with NO Rituxan , OTHER - not listed above	Idiotype vaccine	High dose chemotherapy with SCT (auto or allo type)	Bone Marrow Transplant	High dose chemotherapy with bone marrow transplant.	3	0
NO	MC	NA	Follicular	NA	I do not know	2	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none		bendamustine, when my cancer came back second time but this was not approved in Canada so had to opt out for same treatment I had the first time I had cancer.	no other treatments offered	1	4
NO	MC	NA	Follicular	NA	Stage 1/2	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None		None	None	1	4
NO	MC	NA	Follicular	NA	Stage 3 or 4	3	Chemotherapy* with NO Rituxan, Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs,	Bcl2 trial	High dose chemotherapy with SCT	Allo	Cart-t	3	3
NO	MC	NA	Follicular	NA	Stage 1/2	1	OTHER - not listed above	CHOP then pelvic rads then 4 rituxan immediately as initial and only tx		CHOP + rads. Then Dr. agreed to follow rads with 4 rituxan	Nothing else. Mine was considered grade 3 therefore treated like diffuse	NA	0
NO	MC	NA	Follicular	NA	Stage 3 or 4	1	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	High dose chemotherapy with SCT	Rcvp	lbrutnab	5	0
NO	MC	NA	Follicular	NA	Stage 3 or 4	1	Rituxan only (4 doses) followed by RM for 1-2 yrs..	None	High dose chemotherapy with SCT	Rcvp	lbrutnab	5	0

RIT for FL	Center	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments	Types of Tx	OTHER Tx	Tx NOT received but discussed in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	NA	Follicular	NA	Stage 3 or 4	4	Rituxan only , Radiation to local area only, OTHER - not listed above	Trenda, Rsquare (Rituxan with Revlimid)		none	none	3	0
Y	MC	NA	Follicular	NA	Stage 3 or 4	4	Rituxan only, Radioimmunotherapy only, OTHER - not listed above	Vaccine; Ofitumamab; Calicumyacin attached to anti-CD22 aganet	High dose chemotherapy with SCT	I can't remember	I can't remember	4	2