

Respondents: 47

Indolent Treatment Survey: Marginal Zone

Avg # of Tx:	Yr Dx	Num of Treatments	
1.7	Max: <u>1/2/1992</u>	No treatments: <u>9</u>	19%
	Min: <u>6/05/2017</u>	1 treatment: <u>19</u>	40%
	Yrs since diagnosis	2 treatments: <u>8</u>	17%
	Max: <u>26</u>	3 treatments: <u>1</u>	2%
	Min: <u>1</u>	4 or more: <u>10</u>	21%

Stage when first treated	
Untreated: <u>3</u>	6%
I don't know: <u>2</u>	4%
Stage 1/2: <u>24</u>	51%
Stage 3 or 4: <u>18</u>	38%

3: Oncologist encouraged shared decision making

Your role in Treatment Decisions
NA: <u>3</u> or no treatment: <u>5</u>
5 Most: <u>4</u>
4 Significant: <u>5</u>
3 middle: <u>16</u>
2 minimal: <u>5</u>
Least: <u>14</u>

Treatment Center	Received or discussed antibiotic		
Major	32	2	6%
Community	13	1	8%
NA or Other	4	0	0%

RIT for FL antibiotic for MZL	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described</u> in DETAIL	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)
na	NA	NA	MZL	NA	Stage 3 or 4	4	Radiation to local area only, OTHER - not listed above	CHOP alone / Rituxan later		DNA	DNA	NA
Mentioned	NA	NA	MZL	NA	Stage 3 or 4	2	Rituxan only	Prednisone		R-CVP, R-Cladribine, R-Pentostatin	Zevalin (Radiotherapy)	NA
antibiotic	MC	NA	MZL	NA	Stage 3 or 4	3	Rituxan only (4 doses), Radiation to local area only	Antibiotics for H-Pylori	Chemotherapy* given WITH Rituxan - No maintenance	Ibitumab(sp)	CAR - T	2
antibiotic discussed	MC	NA	MZL	NA	I do not know	4	OTHER - not listed above	RM for 7 years	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	Antibiotic	Antibiotic	3
na	CC	NA	MZL	NA	Stage 1/2	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years	Vitamin D and Adcal	Radiation -- to local area only	Radiotherapy	None	1
na	MC	26	MZL	1/2/92	Stage 3 or 4	4	Rituxan only (4 doses), Radiation to local area only, OTHER - not listed above	CHOP alone		none	none	NA
na	MC	26	MZL	1/2/92	Stage 1/2	4	Rituxan only , Radiation to local area only,	Rituxan more than once, but not maintenance for 1 to 2 years	OTHER - not listed above	none	none	4
na	MC	18	MZL	1/1/00	Stage 1/2	0	No Tx	none	No Tx	laser	rituxan + lenalidomid, laser	1
na	MC	18	MZL	11/15/00	Stage 1/2	4	Rituxan only (4 doses) - followed by RM for 1-2 yrs,	I was treated with Rituxan on and off for about three years. Also, I had bladder	Chemotherapy* given WITH Rituxan/Rituxan M 1-2 yrs	I cannot remember.	Radiology	3
antibiotic	CC	17	MZL	6/4/01	Stage 1/2	4	Chemotherapy* with NO Rituxan , Radiation to local area only, OTHER - not listed above	Dexamethasone; Ciprofloxacin		Radical cystectomy	I do not recall any. This cancer, in this location, was new to my oncologist and, by my research, had fewer than 100 cases diagnosed in the USA by the time it obtained a classification (as determined by a retrospective study). For me, it was classified the following year by Pathologists' reviews of my biopsies samples.	3
na	MC	16	MZL	4/15	Stage 3 or 4	1	Radiation to local area only	None		None	None	3
na	MC	14	MZL	10/2	Stage 1/2	1	Radiation to local area only	Multiple surgeries	OTHER - not listed above	None	Rituxan	1
na	CC-a	12	MZL	10/30/06	Stage 1/2	2	Rituxan only (4 doses)	Nonr	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan -	All currently available treatment options. Different chemo	None. I personally had already reviewed the literature. I nknew sll	5

RIT for FL antibiotic for MZL	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)
na	MC	12	MZL	11/1	Stage 1/2	1	Radiation -- to local area only	just localized radiation to the orbital area	Rituxan only (4 doses)	rituxin	n/a	4
na	MC	10	MZL	4/18/08	Stage 3 or 4	2	OTHER - not listed above	High dose steroids followed by Rituxan x 8 weeks plus 2 years maintenance	Chemotherapy* with NO Rituxan , Chemotherapy* followed by Radioimmunotherap (Zevalin or Bexxar),	Kinease inhibitors	None	5
na	MC	10	MZL	8/8/08	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan - No maintenance, OTHER - not listed above	Rituxan monotherapy x 8 + bimonthly RM x 5	Chemotherapy* given WITH RituxanRituxan M 1-2 yrs	None discussed	kinase inhibitors	4
na	MC	10	MZL	12/8/08	Stage 3 or 4	0	No Tx	None	Chemotherapy* given WITH RituxanM 1-2 yrs	lvig	New treatment in involving medication	1
na	LG	9	MZL	5/18	Stage 1/2	2	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan without RM	No treatment prior to this year.	OTHER - not listed above	None	None yet	3
na	MC	9	MZL	12/17	Stage 3 or 4	2	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM	Prednisone for AIHA/ITP	Chemotherapy* given WITH Rituxan without RM	None	None	3
na	MC	8	MZL	12/1	Stage 1/2	4	Chemotherapy* given WITH Rituxan without RM	none	none	none	none	3
na	MC	6	MZL	4/6	Stage 1/2	1	Chemotherapy* given WITH Rituxan -- without RM	none	Chemotherapy* given WITH Rituxan -- without RM	none	none	1
na	MC	6	MZL	4/21/12	Stage 1/2	1	Radiation to local area only	None	Radiation to local area only	None	None	2
na	MC	6	MZL	5/10/12	Stage 1/2	1	Radiation to local area only, OTHER - not listed above	Watch and wait	Rituxan only (4 doses), OTHER - not listed above	Watch and wait	Rotuximab	4
na	CC	5	MZL	2/15/13	Stage 3 or 4	2	Rituxan only (4 doses), OTHER - not listed above	August 2013: 8 weeks of rituxan (no maintenance) September 2015: 6 weeks of rituxan (no maintenance)	Rituxan only (4 doses) - followed by RM for 1-2 yrs..	None	None	3
na	CC-a	5	MZL	6/8	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years	none	none	none. diagnosis made at late stage disease. Doctor decided on RCHOP. Urgent turnaround with no time to discuss	none	1
na	CC	5	MZL	6/9	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 years	non. currently in remission.	none	none. was told the best course of treatment for widespread disease was RCHOP	none	1
na	CC	5	MZL	8/5/2013	Stage 3 or 4	1	Rituxan only (4 doses)	None	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan without RM, Radiation to local area only	None	None	2
na	MC	5	MZL	8/12	Stage 1/2	1	Radiation -- to local area only	none	OTHER - not listed above	watch and wait	none	1
na	MC	5	MZL	12/3/13	Stage 1/2	0	No Tx	None	No Tx	none offered- survey wouldn't let me leave the question blank below even though I am on W&W so I chose 3.	none offered	3
na	CC-a	5	MZL	12/3	Stage 1/2	0	Not applicable - I have not received treatment	None	Not applicable - I have not received treatment	none	none	1
na	CC-a	4	MZL	1/31/14	Stage 1/2	1	Radiation to local area only	None	Radiation to local area only	Nine	None	3
na	MC	4	MZL	2/1/14	I do not know	0	No Tx	None, I am on watch and wait.	No Tx	On watch and wait, with three month blood tests	On watch and wait with three month blood tests	1

RIT for FL antibiotic for MZL	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when treated	Num of Treatments (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)
na	non-USA	4	MZL	2/20	Stage 3 or 4	0	Not applicable - I have not received treatment	Not received	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	RICE	IDEALISIB	4
na	MC	4	MZL	7/11/2014	Stage 3 or 4	1		rituxan 8, then 2 years maintenance	Rituxan only (4 doses) - followed by RM for 1-2 yrs..	n/a	r chop	3
na	MC	4	MZL	8/10/14	I do not know	0	No Tx	None	No Tx	Rituxan	none	1
na	MC	4	MZL	12/12/2014	Stage 1/2	1	OTHER - not listed above	surgery	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	none	none	3
na	MC	3	MZL	5/15/15	I do not know	1	Rituxan only (4 doses)	Iron infusion for anemia		none	none	2
na	MC	3	MZL	5/15	Stage 1/2	4	Radiation -- to local area only	N/A		None	Antibiotic therapy/doxycycline	3
na	-	3	MZL	8/25	I do not know	0	No Tx	Wait and watch	Not applicable - I have not received treatment	Wait and watch	Wait and watch	3
na	MC	3	MZL	11/1/15	Stage 3 or 4	1	Radiation to local area only	None	Radiation to local area only	None	Rituxin	3
na	MC	2	MZL	1/7	Stage 1/2	0	Radiation to local area only	none	Rituxan only (4 doses)	none	none	5
na	CC-a	2	MZL	2/15	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan -- without RM,	none	OTHER - not listed above	none	none	2
na	MC	2	MZL	3/28/2016	Stage 1/2	1	Radiation to local area only	Surgery to remove tumor	Radiation to local area only	None	None	1
na	MC	2	MZL	11/9/16	Stage 3 or 4	1	Rituxan only (4 doses) - followed by RM for 1-2 yrs..	In remission		No other tx discussed	No other tx offered	3
na	MC	2	MZL	11/30	Stage 1/2	1	Rituxan only (4 doses)	No	Not applicable - I have not received treatment	No	No	1
na	MC	1	MZL	6/13	Stage 1/2	4	Rituxan only (4 doses)	Lung biopsy , bone marrow biopsy then rituxan treatment	Rituxan only (4 doses) - followed by RM for 1-2 years.	No other treatment. Another doctor told me to watch and wait	No other treatment. Another doctor told me to watch and wait but rituxan would eventually be the treatment.	1
na	MC	1	MZL	6/15	Stage 1/2	4	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without RM	None	None	5

17%

9%

11%

34%

11%

30%

Survey ease
0 easiest

0

0

0

0

1

0

0

1

2

0

0

0

0

0

0

0

0

3

0

0

0

0

Survey
ease
0 easiest

0

3

4

1

0

0

1

1

1

2

0

0

0

0

0

1

0

0

0

Survey ease
0 easiest

0

1

0

1

0

0

3

0

5

0

0

1

0

0

0